## **REMARKS**

Claims 1-6, 8-11, 13-15 and 33-49 are pending in this Application. Claims 10, 11 and 42-49 stand rejected. Applicant acknowledges the Examiner's statement that claims 1-6, 8, 9, 13-15 and 33-41 are in allowable form.

The Examiner has noted that the substitute specification of 10/31/08 has not been entered. Applicant has attached a second substitute specification in clean and marked-up formats and requests that it be entered instead. The second substitute specification has additional corrections to reference numerals not present in the 10/31/08 version.

Applicant has also attached Replacement Sheets 2/6-6/6 including FIGS. 6-21 correcting inconsistent use of reference numeral 24, 26, 27 and 92.

The Examiner has rejected claims 10, 11 and 42-49 under 35 U.S.C. 112, second paragraph as failing to either identify a claim from which it depends or for depending from a cancelled claim. Applicant have amended these claims to correct these errors, and, therefore, respectfully requests a withdrawal of these rejections.

Finally, the Examiner has rejected claims 10 and 11 under 35 U.S.C. 102(b) in view of Cudaback (USPN 4,708,171). Applicant submits in view of the correction of claim 10, this rejection has been mooted. Thus, Applicant respectfully requests a withdrawal of this rejection.

In view of the foregoing amendments and remarks, Applicant respectfully submits the claims are in the condition for allowance and respectfully requests an early notice of the same.

Appl. No. 10/591,493 Amdt. Dated March 27, 2009 Reply to Office action of February 10, 2009

The Commissioner is hereby authorized to charge any fees due or to credit any overpayment to Deposit Account No. 50-3891.

Respectfully submitted,

Date: 3 27 09

(Reg. #34,604)

Joseph A. Fuchs

ROCKEY, DEPKE & LYONS, LLC

Sears Tower, Suite 5450 Chicago, Illinois 60606-6306

Tel: (312) 277-2006 Attorneys for Applicant Appl. No. 10/591,493 Amdt. Dated March 27, 2009 Reply to Office action of February 10, 2009

## **Drawing Amendment:**

Applicant submits herewith replacement sheets 2/6-6/6 containing FIGS. 6-18.